

## Clinical References for Cholest Eze

1. Maritz FJ. Efficacy and danger of statin therapy. *Cardiovasc J S Afr.* 2002 13 (4) 200-203,
2. Singh, RB, et al. Hypolipidemic and antioxidant effects of *Commiphora mukul* as an adjunct to dietary therapy in patients with hypercholesterolemia. *Cardiovasc Drugs Ther* 1994 8 (4) 659-664.
3. Ghorai M., et al. A comparative study on hypocholesterolaemic effect of allicin, whole germinated seeds of Bengal gram and guggulipid of gum guggul. *Phytother Res* 2000 14 (3) 200-202.
4. Binaghi, P. et al. Evaluation of the cholesterol-lowering effectiveness of pantethine in women in perimenopausal age. *Minerva Med.* 1990 81(6): 475-479.
5. Prisco, D., et al. Effect of oral treatment with pantethine on platelet and plasma phospholipids in IIa hyperlipoproteinemia. *Angiology* 1987 38 (3) 241-247.
6. Arsenio, L., et al. Clinical use of pantethine by parenteral route in the treatment of hyperlipidemia. *Acta Biomed Ateneo Parmense.* 1987 58 (5-6) 143-152.
7. Moghadasian, MH, and Frohlich, JJ. Effects of dietary phyosterols on cholesterol metabolism and atherosclerosis: clinical and experimental evidence. *Am J Med.* 1999 107 (6): 588-594.
8. Plat, J. and Mensink, RP. Effects of plant sterols on lipid metabolism and cardiovascular risk. *Nutr. Metab Cardiovasc Dis.* 2001 11(1): 31-40.
9. Whittaker, MH. Effects of dietary phytosterols on cholesterol metabolism and atherosclerosis: clinical and experimental evidence. *Am J Med* 2000 109(7) 600-601.
10. De Graaf, J. et al. Consumption of tall oil-derived phytosterols in a chocolate matrix significantly decreases plasma total and low-density lipoprotein-cholesterol levels. *Br J Nutr.* 2002 88(5): 479-488.
11. Szapary, PO et al. Guggulipid for the treatment of hypercholesterolemia: a randomized controlled trial. *JAMA* 2003 13, 290(6): 765-772.
12. Leontowicz, M. et al. Apple and Pear Peel and Pulp and their influence on plasma lipids and antioxidant potentials in rats fed cholesterol-containing diets. *J Agric Food Chem.* 2003 10;51(19):5780-5785.
13. Kerckhoffs, DA. et al. Cholesterol-lowering effect of beta-glucan from oat bran in mildly hypercholesterolemic subjects may decrease when beta-glucan is incorporated into bread and cookies. *Am J Clin Nutr.* 2003 78(2):221-227.
14. Comparison of the effects of inositol hexanicotinate and nicotinic acid on lipid levels. *Functional Medicine* Vol 21, Dec 2001.